

L Number	Hits	Search Text	DB	Time stamp
1	1058	network\$5 with printer\$5 same printer\$5 adj2 driver\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:10
2	180	network\$5 with printer\$5 with printer\$5 adj2 driver\$5 with (install\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:12
3	49	(network\$5 with printer\$5 with printer\$5 adj2 driver\$5 with (install\$5)) and @ad<20001003	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:31
4	5650	(358/1.15).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:30
5	105	(update\$5 with printer\$5) with (time\$4 date\$5) same (host computer\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:31
6	18	((358/1.15).ccls.) and ((update\$5 with printer\$5) with (time\$4 date\$5) same (host computer\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:31
7	10	((358/1.15).ccls.) and ((update\$5 with printer\$5) with (time\$4 date\$5) same (host computer\$5))) and @ad<20001003	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:31
-	2	"20020024682"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 10:53
-	5	(("5283661") or ("6151707") or ("6098050") or ("5263152") or ("5794007")).PN.	USPAT	2004/07/22 10:54
-	2	5283661.URPN.	USPAT	2004/07/22 10:56
-	467	(update\$5 with printer\$5) with (time\$4 date\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 11:11
-	2	("4570035" "4916637").PN.	USPAT	2004/07/22 11:10
-	65	((update\$5 with printer\$5) with (time\$4 date\$5) same (host computer\$5)) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 11:17
-	1	(enter\$5 stor\$4) adj4 (printer\$5 adj2 time near4 date)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 11:17
-	7	(enter\$5 stor\$4) with (printer\$5 adj2 time near4 date)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 11:17

-	6	((enter\$5 stor\$4) with (printer\$5 adj2 time near4 date)) not ((enter\$5 stor\$4) adj4 (printer\$5 adj2 time near4 date))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 11:17
-	4	((enter\$5 stor\$4) with (printer\$5 adj2 time near4 date)) not ((enter\$5 stor\$4) adj4 (printer\$5 adj2 time near4 date))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:01
-	5	(host\$5 computer\$5) with (enter\$5 input\$5 updat\$5) same ((printer\$5 facsimil\$5 copy adj2 machine\$5) adj4 (time near4 date))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 11:52
-	54	(host\$5 computer\$5) with (enter\$5 input\$5 updat\$5) same ((printer\$5 facsimil\$5 copy adj2 machine\$5) with (time near4 date))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:00
-	49	((host\$5 computer\$5) with (enter\$5 input\$5 updat\$5) same ((printer\$5 facsimil\$5 copy adj2 machine\$5) with (time near4 date))) not ((host\$5 computer\$5) with (enter\$5 input\$5 updat\$5) same ((printer\$5 facsimil\$5 copy adj2 machine\$5) adj4 (time near4 date)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:01
-	36	((host\$5 computer\$5) with (enter\$5 input\$5 updat\$5) same ((printer\$5 facsimil\$5 copy adj2 machine\$5) with (time near4 date))) not ((host\$5 computer\$5) with (enter\$5 input\$5 updat\$5) same ((printer\$5 facsimil\$5 copy adj2 machine\$5) adj4 (time near4 date))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:14
-	94	(printer\$5 adj2 (date near4 time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:12
-	57	((printer\$5 adj2 (date near4 time))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:50
-	170	(set\$5 with (printer\$5 copy adj2 machine facsimile\$3) with (date near4 time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:07
-	57	((printer\$5 adj2 (date near4 time))) and @ad<20000120 and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 12:51
-	121	((set\$5 with (printer\$5 copy adj2 machine facsimile\$3) with (date near4 time))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:05
-	1	(new install\$5 replac\$5 upgrad\$5) adj4 (printer\$5 facsimil\$5 copy adj2 machine\$5 form\$5 adj2 apparatus\$5) with (time near4 date) same (set\$5 input\$5 enter\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:06
-	1	((new install\$5 replac\$5 upgrad\$5) adj4 (printer\$5 facsimil\$5 copy adj2 machine\$5 form\$5 adj2 apparatus\$5) with (time near4 date) same (set\$5 input\$5 enter\$5)) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:09

-	2	((enter\$5 input\$5) with (printer\$5 copy adj2 machine facsimile\$3) with (date near4 time)) same (new\$5 upgrad\$5)) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:12
-	3	((enter\$5 input\$5) with (printer\$5 copy adj2 machine facsimile\$3) with (date near4 time)) same (new\$5 upgrad\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:11
-	1	((enter\$5 input\$5) with (printer\$5 copy adj2 machine facsimile\$3) with (date near4 month)) same (new\$5 upgrad\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:12
-	7	((enter\$5 input\$5) with (printer\$5 copy adj2 machine facsimile\$3) with (date near4 month))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:14
-	7	((enter\$5 input\$5) with (printer\$5 copy adj2 machine facsimile\$3) with (date near4 month))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:15
-	55	((set\$5 enter\$5 input\$5) same (printer\$5 copy adj2 machine facsimile\$3) same (date near4 month))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:15
-	48	((set\$5 enter\$5 input\$5) same (printer\$5 copy adj2 machine facsimile\$3) same (date near4 month))) not (((enter\$5 input\$5) with (printer\$5 copy adj2 machine facsimile\$3) with (date near4 month))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 13:15
-	41	((set\$5 enter\$5 input\$5) same (printer\$5 copy adj2 machine facsimile\$3) same (date near4 month))) not (((enter\$5 input\$5) with (printer\$5 copy adj2 machine facsimile\$3) with (date near4 month))) and @ad<20000120)) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:49
-	8	5363204.URPN.	USPAT	2004/07/22 13:22
-	9	("2642492" "4587633" "4648062" "4774590" "4896223" "4937762" "4965676" "5072309" "5105284").PN.	USPAT	2004/07/22 13:26
-	334	(enter\$5 input\$5 set\$5) with ((printer\$5 copy adj2 machine\$5 facsimile\$5) adj4 (date time month year)) same (host computer\$4 network\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:01
-	214	(enter\$5 input\$5 set\$5) with ((printer\$5 copy adj2 machine\$5 facsimile\$5) adj4 (date time month year)) with (host computer\$4 network\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:10
-	140	((enter\$5 input\$5 set\$5) with ((printer\$5 copy adj2 machine\$5 facsimile\$5) adj4 (date time month year)) with (host computer\$4 network\$5)) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:33
-	0	(enter\$5 input\$5 set\$5) adj4 ((printer\$5 copy adj2 machine\$5 facsimile\$5) adj4 ((date near4 (time month) year))) with (host computer\$4 network\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:15

-	10	(enter\$5 input\$5 set\$5) with ((printer\$5 copy adj2 machine\$5 facsimile\$5) adj4 ((date near4 (time month) year))) with (host computer\$4 network\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:28
-	0	JP411289417	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:21
-	2	"11289417"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:21
-	50	(enter\$5 input\$5 set\$5) with ((printer\$5 copy adj2 machine\$5 facsimile\$5) adj4 ((date near4 (time month))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:30
-	1	(update\$5 adj4 printer\$5 adj2 (time)) same host	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:33
-	34	((enter\$5 input\$5 set\$5) with ((printer\$5 copy adj2 machine\$5 facsimile\$5) adj4 ((date near4 (time month)))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:38
-	3	(update\$5 with printer\$5 adj2 (time)) same host	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:34
-	2	"10098538"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:39
-	2	("5969827").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:41
-	2	"07321968"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:43
-	3	"06116661"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:48
-	0	(adjust\$5 adj5 (printer\$5 adj2 (date near4 month)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:49
-	0	(adjust\$5 with (printer\$5 adj2 (date near4 month)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:49
-	6	(adjust\$5 with (printer\$5 with (time near4 date))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:55

-	14	adjust\$5 with (printer\$5 with (time near4 date))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:52
-	48	adjust\$5 adj4 (printer\$5 with (time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:54
-	9	adjust\$5 adj4 (printer\$5 adj4 (clock))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:53
-	40	adjust\$5 adj4 (printer\$5 adj4 (time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:54
-	19	(adjust\$5 adj4 (printer\$5 adj4 (time))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:59
-	126	(new install\$5) adj4 printer\$5 same ((enter\$5 input\$5 sett\$5) with (time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:58
-	83	((new install\$5) adj4 printer\$5 same ((enter\$5 input\$5 sett\$5) with (time))) and @ad<20000120	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:59